
# GPS TRACKER MANUAL



# Specifications

| Size:            | 40*85*28mm(1.5"*3.3"*0.7")                 |
|------------------|--|
| Net Weight:      | 80g  |
| Ver2G:           | GSM:850/900/1800/1900MHz                   |
| Network:         | GSM/GPRS                                   |
| GPS accuracy:    | 5m   |
| Input:           | 5V===1.0A                                  |
| Battery:         | Rechargeable 3.7V 1800 mAh Lithium battery |
| Charging Period: | 4 hours                                    |
| standby:         | 25days                                     |

# **Getting to know your GPS tracker**



- 1.Head light
- 2.SIM card slot
- 3.Indicator light
- 4.USB port
- 5.SOS button

# Note:

Head light: it will shine only in the dark and in moving state.

Indicator light: it will blink when turning on device.

| INDICATOR LIGHT STATUS | MEANING         |
|------------------------|-----------------|
| Yellow light -Solid    | No GPRS signal  |
| Yellow light -Flash    | GPRS connection |
| Blue light -Solid      | No GPS signal   |
| Blue light -Flash      | GPS connection  |
| Red light -Solid       | Charging        |
| Red light -off         | Full charged    |

# 1.Purchase SIM card

Buy a SIM card( Micro SIM card), register the SIM card and top up with credit.

NOTE: ONLY GSM SIM card works in this model

2.Remember SIM card number

Make a note of your GPS SIM card number

NOTE: GPS ONLY workes outdoor.

## 3. CHARGE AND TURN ON THE DEVICE

• Turn on the device: By insert the SIM card.



- The indicator light is on when SIM card is inserted.
- The device automatically turns off when the SIM card is removed.
- Charge your GPS tracker with provided USB cable
   The red light on the device shows battery is charging. Once the battery is fully charged, the red light will disappear.

NOTE: Do not use a fast charger. This can damage the battery.

### 4.SMS TRACKING

(Note: The following yellow space is a blank in SMS command)
4.1To receive a Google map link of the location of the GPS tracker:
Send a message" G123456#" to the SIM Card number or Call the
SIM Card number in the GPS tracker. You will receive a text
message with a Google map link. Click the link to be diverted to a
Google map, pinpointing the exact location of the person with
the GPS tracker.

# Explanation of parameters/codes in SMS message

lat:22.63952 lon:114.17122 Spd:002 T:24/09/15 16:00 bat:100% ID:2015070203 https://maps.google.com/maps?q= +22.63952.+114.17122 lac:27a4 1223 T:24/09/15 15:17 bat:100% ID:2015070203 Last:T:25/09/15 03:04 https://maps.google.com/maps?q= +22.63949.+114.17188

Pic 1 Pic 2

# (Replied real-time tracking information under GPS satellites signal.)

- lat:22.63952 lon:114.17122
   Positioning of the latitude and longitude values.
- spd:002
  This refers to the device moving speed. The unit is km/h.
- T:24/09/15 16:00 real-tracking time, the Default is London time, You can set language and time zone in APP.
- bat:100%
   The battery value is between 10% and 100%. Once it is less than 20%, it alarms.
- ID:2015070203

  Device ID NO. to log in APP and platform.
- Google maps link
   This is the link to the Google map showing the position of tracker unit.

# (Replied LBS tracking information without GPS satellites signal.)

- lac:27a4 1223
   Real-time LBS positioning data.
- T:24/09/15 15:17 LBS positioning time.

# How to use it

• bat:100%

The battery value is between 10% and 100%. Once it is less than 20%, it alarms.

• ID:2015070203

Device ID NO. to log in APP and platform.

• Last:T:25/09/15 03:04

This is the time when tracker got last GPS signal.

Google maps link

This is the position of last GPS signal appeared.

4.2. Admin number setting (After admin number setting, all SMS operations to the device are under this number only.)

Command: admin123456 phone number (This phone number is your own mobile phone number, not the SIM card number in tracker.)

Reply: admin ok

E.g. admin123456 00861326XXXXXX

Admin123456 13265790180

### admin ok

When the unit is in over-speed alarm, shake sensor alarm, or low battery alarm, it will send alert to the admin number. (13265790180)

Admin number Canceling:

Command: noadmin123456

Reply: noadmin ok

4.3. Terminal (local) Time Setting(factory setting GMT0)

Command: timezone123456 local time zone

Reply: time ok!

E. g:

timezone123456 +1

timezone123456 -1

timezone123456 0

Timezone123456 +1

Time ok

(note: it's used for changing the timezone in SMS positioning)

### How to use it

wake up the tracker.)

4.4. Over-speed Alarm setting (It works only in Sleep by shock sensor mode mode.) Over-speed Alarm setting: Command: speed123456 070 (Suppose speed is 70km/h) Reply: speed ok speed123456 070 E.g: speed ok When the unit speed is over 70km/h, it will send message "speed alarm!" to the admin number every 5 minutes. Over-speed Alarm canceling: Command: nospeed123456 Reply: nospeed ok shock12<u>345</u>6 4.5. Shake Alarm setting Command: shock123456 shock ok Message Reply: shock ok Note:Pls keep the tracker being stationary for 5 minutes, this function will work. The tracker will send SMS "sensor alarm!" to the admin number when the unit get sha Shake alarm Canceling. Comma noshock123456 ply: hock ok 4.6. Device working mode setting Sleep by shock sensor mode setting: (Factory setting is "Sleep by shock mode") sleep123456 shock Command: sleep123456 shock sleep shock ok Reply: sleep shock ok (No shock for 5 minutes, the tracker will work in "sleep by shock" mode, GPS shut off, GSM works in low consumption. Vibration, SMS, calling can

### How to use it

Sleep by time mode setting:

sleep123456 time

Command: sleep123456 time

Reply: sleep time ok

sleep time ok

(Tracker only works for 5 minutes after being waked up, and back to sleep mode, GPS shut off, GSM works in low consumption mode. SMS command, calling tracker can wake up the tracker.)

### 4.7. SOS function setting

SOS number setting

 $Command: {\color{red} sos 123456 \ phone \ numer} \ \ (\ This \ phone \ number \ is \ your \ own$ 

mobile phone number, not the SIM card number in tracker.)

Reply: sos number ok

After you setting the SOS number, press the SOS button for 3 seconds, then the device will send SMS"help alarm!" to the SOS number.)

sos123456 13265790180

help alarm! Lac:27e3 774e T:<u>12/04/16 04:54</u> Bat:70% ID:9081001189

Last:T:12/04/16 03:31 http://maps.google.com/ maps?q= +22.91505,+114.07875

begin123456

sos ok

SOS number canceling Command: nosos123456 Reply: nosos number ok

4.8. Reset Hardware

Command: begin123456

Reply: begin ok

E.g:

begin ok

(note: all other settings are restored to the factory state except for the APN setting)

### **5.START ONLINE TRACKING**

(Note:If you inserted the correct SIM Card and the device is online on the APP, no need to send the following APN setting commands.)

5.1Set the APN for the tracker, then its online tracking by APP and platform works.

Every sim card carrier has own APN content, we have two methods to find out apn content : check sim card carrier on internet or put sim card into cell phone to find out APN

Set apn by sending command "apn123456 content", "apnuser123456 content" "apnpasswd123456 content" pls note the content is from SIM card carrier, there is small blank after 123456 in every command.

After the apn setting is successful, please re-insert the sim card to boot the device.

### **COMMAND INSTRUCTION TO SET APN**

| INSTRUCTION                             | COMMAND                 | REPLY        |
|---|-------------------------|--------------|
| Set APN (any existing will be replaced) | apn123456 apn content   | apn ok       |
| Set APN username                        | apnuser123456 content   | apnuser ok   |
| Set APN password                        | apnpasswd123456 content | apnpasswd ok |

For SpeedTalk SIM card in the US, the APN information we got it as follows:

APN: Mobilenet

APN username: (none) APN password: (none)

So please use your phone, and send 1 text commands to the SpeedTalk

SIM# step by step to set apn: Send SMS: apn123456 mobilenet

Once receives:apn ok

Then please remove and re-insert the SIM card from the device to reboot the device

8

### 5.2 WEBSITE TRACKING

**Platform:** www.mytkstar.net

Select "Login by ID" on the bottom of screen.

**ID** No.: on the back side of cover.

**Password:** 123456

### 5.3 APPLICATIONS FOR ANDROID/IOS

Search "WINNES GPS" in the Apple App Store/Google Play Store or Scan the QR Code to install the applications on your cell phone.





# WINNES GPS CHANGSHA YUNANG NETWORK TECHNOLOGY CO..

# **5.3.1 Login by ID** (Only one tracker)

Select "Login by ID" on the bottom of screen

Server: www.mvtkstar.net

ID No. : on the back side of cover

**Password:** 123456

## 5.3.2 login by username

**Note:** If you have two tracking devices or more, you can click "Sign Up" on the app to register an account to track multiple devices at the same time, device ID numbers can be added to your account through the app.

Select "Login by username" on the bottom of screen

Server: www.mytkstar.net

username: The email you used to create your account.

Password: The password you set when registering your account.

### 5.3.3 Real-time tracking

Real-time tracking not only can track the position of the device, but also can track the position of smart phone

On map click "+" and "-" to zoom in and zoom out the map.

Click " 🍙 " to view different location between smart phone and device,

and click " a " to change the map vision between 2D/3D.

### **EXPLANATION OF OTHERICONS IN APP:**

**Historical route:** It could find the route map for nearly six months by choosing the beginning and ending time.

**Geo fence:** It will generate an alarm on App when the device is out of the Geo fence you set.

**Issue:** Issue commands to the device. **Device info:** The information of device.

**Alert message:** The alert message generated by the device.

**Account Info:**The information of account.

**Notifications:** Turn on/off the different alarm types for the device.

### **Explanation of settings in the "Issue" icon:**

**Set Admin number:** The phone number that can control the device by SMS, and receive the alarm message.

(Canceled by deleting the phone number and clicking "OK".)

**Set SOS number:** The number that can receive the alarm message.

(Cancel the sos number by deleting the phone number and clicking "OK".)

Low Battery Alarm Switch: Turn on/off the low battey alarm message function.

Set Overspeed Alarm: Input speed value to set it.

(Cancel the overspeed alarm by entering "0" and clicking "OK".)

Alarm occurs when the speed exceeds the set speed.

**Vibration alarm switch:** if the vibration alarm is switched on , you will receive a vibration alarm when tracker vibrates in sleep mode.

If vibration occurs after 5 minutes of continuous stationary, an alarm will be issued.

**LED:** Turn on/off the LED indicator light.

**Set Language and Timezone:** Set the language and time zone for SMS tracking message.

### **GPS work mode setting:**

For select the upload frequency of device positioning data: factory default is 60 seconds

# 6. FAQ and processing methods.

#### 1.Fail to turn it on:

Please check if battery is charged.

### 2.No SIM signal:

- Please check if SIM card installed correctly
- Please check if SIM card is support GSM or LTE network
- Make sure the SIM Card's PIN code is deactivated
- Make sure the calls transfer is not active

### 3.No GPS signal:

A more open view of the sky is recommended to make sure the device can receive the GPS signal normally.

### 4. No reply to SMS command:

The command format is wrong or insufficient SIM card balance.

Please make sure SIM card has sufficient balance, and supports making calls, sending messages, GPRS network, and has opened the call shows and turned off the call transfer.

# 5.SMS position OK, cannot use the APP and web platform:

Please check if APN is correctly set. And find out the correct APN content of the SIM card. (Pls refer to 5.1 setting.)

### 6.Platform position is difference from the actual position:

No uploading position time or no GPS signal: call the device phone number and receive the position message. If it shows like Pic 2, it means no GPS signal. The position is the last GPS positioning location; If it shows like Pic 1, it means the device doesn't reach the uploading time.

Notices: Do not assembly and disassembly device at will.

### **ELECTROMAGNETIC COMPATIBILITY**

Very strong magnetic fields (e.g. transformers) should always be avoided as this may result in variations in the transmission. Failure to follow these instructions may lead to malfunctions or damage to your Winnes GPS device.

### RISKS FOR CHILDREN AND PEOPLE IN NEED OF CARE

The use of this device is not intended for people (including children) with limited physical, sensory or mental abilities or lack of experience and/or lack of knowledge, unless they are supervised by a person responsible for their safety or have been instructed on the use of the device.

**Note:** Some countries, states or regions have laws related to location based tracking of people, animals and objects. It's the sole responsibility of the owner and user to abide by the law and rules in the area the Winnes GPS device is used. Please switch off the Winnes GPS tracker before boarding a plae.

### **DISPOSAL**

Batteries are hazardous waste. For the correct disposal of batteries, appropriate containers are provided at the premises of commercial battery as well as local council waste disposal facilities. If you want to dispose of your GPS device, follow the current local provisions at the time. Information may be obtained from the local council waste disposal facility.



Dispose of the packaging according to type. Add cardboard to the paper bank, plastics to the recyclables collection.



**DECLARATION** 

